

# CONVERTIBLE REFRIGERATOR/ FREEZER



# Convertible Refrigerator/Freezer | FLX

## CONVERTIBLE REFRIGERATOR/FREEZER

*Solid & Glass Doors*



Exterior digital temperature displays

Flexibility at the flip of a switch



**T-23F-FLX-HC**



**TUC-27F-FLX-HC**



**T-23FG-FLX-HC-FGD01**



**GDM-43FG-FLX-HC**



**T-49F-FLX-HC**



**T-49FG-FLX-HC-FGD01**

## Features/Benefits

- Easily converts from freezer to refrigerator with the flip of a switch.
- Factory balanced, environmentally-friendly R290 Hydrocarbon forced-air refrigeration system.
- Freezer mode maintains -10°F (-23.3°C) product temperatures.
- Refrigerator mode maintains 33°F to 38°F (0.5°C to 3.3°C) product temperatures.
- Large evaporator and coil heater permit short defrost cycle on freezers.
- Automatic defrost system.
- Energy efficient, thermal insulated glass doors on ~FDG01 models.
- Adjustable, heavy-duty, PVC-coated wire shelves.
- LED interior lighting. Safety shielded.
- A "no-stoop", lower shelf on reach-in models.
- Compressor performs in the coolest, most grease-free area of kitchen for ease of compressor load.
- Compressor can be serviced easily, and accessed by a single repairman.

**CONVERTIBLE REFRIGERATOR/FREEZER**

[truemfg.com](http://truemfg.com)



## FLX REACH-IN REFRIGERATOR/FREEZER

Model	# of Doors	# of Shelves	HP	Amps	Crated Weight lb. (kg.)	Cabinet Dimensions W D† H* (in)	Cabinet Dimensions W D† H* (mm)
<b>SOLID DOORS</b>							
T-19F-FLX-HC	1	3	½	3.7	255 (116)	27 x 24½ x 75¼	686 x 623 x 1912
T-23F-FLX-HC	1	3	½	3.7	295 (134)	27 x 29½ x 78¾	686 x 750 x 1991
T-49F-FLX-HC	2	6	1	9.6	480 (218)	54½ x 29½ x 78¾	1375 x 750 x 1991
<b>GLASS DOORS</b>							
T-23FG-FLX-HC~FGD01	1	3	½	6.2	330 (150)	27 x 29¾ x 78¾	686 x 756 x 1991
T-49FG-FLX-HC~FGD01	2	6	(2) ½	9.5	650 (295)	54½ x 29¾ x 78¾	1375 x 756 x 1991

† Depth does not include 1¾" (35 mm) for door handles or ½" (13 mm) for system mechanical components.

\* Height does not include 5" (127mm) for castors or 6" (153mm) for optional legs (3¼" (83mm) castor height for T-19F-HC).

## FLX GLASS DOOR MERCHANDISER REFRIGERATOR/FREEZER

Model	# of Doors	# of Shelves	HP	Amps	Crated Weight lb. (kg.)	Cabinet Dimensions W D† H* (in)	Cabinet Dimensions W D† H* (mm)
<b>GLASS DOORS</b>							
GDM-26F-FLX-HC~TSL01	1	4	½	4.4	340 (155)	30 x 29¾ x 78¾	762 x 759 x 1998
GDM-43F-FLX-HC~TSL01	2	8	(2) ½	9.5	550 (250)	47¾ x 29¾ x 78¾	1196 x 759 x 1998
GDM-49F-FLX-HC~TSL01	2	8	(2) ½	9.5	568 (258)	54½ x 29¾ x 78¾	1375 x 759 x 1998

† Depth does not include 1¾" (42 mm) for door handles.

## FLX UNDERCOUNTER REFRIGERATOR/FREEZER

Model	Doors/Drawers	# of Shelves	HP	Amps	Crated Weight lb. (kg.)	Cabinet Dimensions W D† H* (in)	Cabinet Dimensions W D† H* (mm)
<b>SOLID DOORS</b>							
TUC-27F-FLX-HC	1/0	2	¼	2.3	190 (87)	27¾ x 30½ x 29¾	702 x 766 x 756

† Depth does not include 1" (26mm) for rear bumpers.

\* Height does not include 6¼" (159mm) for castors or 6" (153mm) for optional legs.

Environmentally friendly R290 hydrocarbon refrigeration system for the best in food preservation.



All dimensions are rounded up to the nearest 1/8" (whole millimeter) | Specifications subject to change without notice.

# CONVERTIBLE REFRIGERATOR/ FREEZER

---

True's Flex temp cabinets offer the option for frozen or refrigerated products by simply flipping a switch. This gives retailers the flexibility to change the temperature range as needed for any scenario.