

CVM[®] Series



Contemporary Visual Merchandisers

Performance Meets **Contemporary Style**

true[®]
REFRIGERATION





Efficient Design. Sustainable Impact.

Going green is now more accessible with True's new CVM Series of self-contained merchandisers. These units feature a high-performance, R290 hydrocarbon refrigeration system engineered for maximum efficiency, reliability, and sustainable use.

Built with high-density insulation featuring low ozone depletion and global warming potential (ODP/GWP), these units are designed to meet today's sustainability standards while preparing for tomorrow's regulatory requirements.

The CVM series delivers the perfect blend of space-saving design and eco-conscious performance, making it ideal for retail environments looking to reduce their carbon footprint without sacrificing product visibility or accessibility.



CVM Uses / Locations

CVM Merchandiser Uses / Locations

Optimized for retail environments, the CVM Series blends performance and style to elevate in-store merchandising and drive impulse sales –yet remaining versatile enough for restaurants, cafes and high-traffic venues like stadiums. Get your CVM today to start brilliantly merchandising your products and boosting sales!




Traditional or Self Check Out




Queue Line




End Cap



Spot Merchandising



Restaurant Impulse



Concession

CVM Advantages / Features



Advantages of CVM's vs Traditional Merchandisers

The CVM series offers several key advantages, thanks to its space-saving footprint and full-glass door design. Additionally, these units offer a more visually appealing look than traditional merchandisers due to the curved edge profile of the cabinets.

- **Space Saving Design**
- **Increased** Beverage Capacity (10-17%)
- **One (1) Additional** Shelf/Row of Product
- **No** Bottom Grill
- **Visually** Appealing Aesthetics
- **Floor-to-Ceiling** Merchandising

10-17%
MORE
capacity




CVM

VS



GDM

CVM vs GDM Packout Differential



■ GDM

■ CVM

* Packout may vary depending on exact 20oz bottle.

CVM Specifications




CVM Product Highlights




CVM-11



Plan View



Front View



Side View



Top View

CVM Specifications

Model	Doors	Shelves	Cabinet Dimensions (in) (mm)			Voltage
			W	D [†]	H	
CVM-11-HC~EGC01	1	4	24 7/8	22 7/8	53 5/8	115/60/1
			630	581	1360	—

[†] Depth does not include 1" (26 mm) for rear bumper.



Scan the QR code
above or click
here for more
specifications

CVM Specifications



CVM Specifications

Model	Doors	Shelves	Cabinet Dimensions (in) (mm)			Voltage
			W	D [†]	H	
CVM-13-HC~EGC01	1	5	24 $\frac{7}{8}$	22 $\frac{7}{8}$	63 $\frac{3}{4}$	115/60/1
			630	581	1617	—

[†] Depth does not include 1" (26 mm) for rear bumper.




Scan the QR code
above or click
here for more
specifications


CVM-13




Plan View




Front View



Side View



SECTION B-B





90°

Top View


SECTION A-A

Plan View



CVM-20



Front View



Side View



Top View

CVM Specifications

Model	Doors	Shelves	Cabinet Dimensions (in) (mm)			Voltage
			W	D [†]	H	
CVM-20-HC~EGC01	1	6	27	24 1/2	78 1/2	115/60/1
			686	622	1993	—



Scan the QR code
above or click
here for more
specifications


[†] Depth does not include 5/8" (16 mm) for rear mechanical components.




CVM Specifications




CVM-24




Plan View




Front View



Side View



SECTION B-B



Top View

CVM Specifications

Model	Doors	Shelves	Cabinet Dimensions (in) (mm)			Voltage
			W	D [†]	H	
CVM-24-HC~EGC01	1	6	27	29 1/2	78 1/2	115/60/1
			686	749	1993	—




Scan the QR code
above or click
here for more
specifications


[†] Depth does not include 5/8" (16 mm) for rear mechanical components.

CVM-27


Plan View




Front View



SECTION A-A



SECTION B-B



Top View

Side View

CVM Specifications

Model	Doors	Shelves	Cabinet Dimensions (in) (mm)			Voltage
			W	D [†]	H	
CVM-27-HC~EGC01	1	6	30	29 1/2	78 1/2	115/60/1
			762	747	1993	—

[†] Depth does not include 5/8" (16 mm) for rear mechanical components.



Scan the QR code
above or click
here for more
specifications

CVM Options + Accessories



Options + Accessories

Customize your CVM unit with **accessories** to enhance performance and tailor it to your specific merchandising requirements.

TrueFlex® Gravity Feed Organizers



Mix and match your interiors and exteriors
to suit your style or need.

Black / Black



TrueFlexPac® Organization System



6" Leg / Seismic Leg



4" Castors

2½" Castors



Custom Header and End Panel Decals



Stainless / Stainless



White / White



Optional Handle



Efficient Design.
Sustainable Impact.

THANK YOU FOR SHOPPING

WOODMANS

10



WOODMANS

11

WOODMANS

12



cwm[®] Series



true
REFRIGERATION



 natural
refrigerant.

2001 East Terra Lane, O'Fallon, MO 63366-4434, USA **ph** | 636.240.2400 **toll free** | 800.325.6152 **email** | truesales@truecfg.com
truecfg.com

AB_264375_12.25